



Summer-Fall Newsletter & Activity Guide

Congratulations Wes & Teresa Green!
Recipients of the Azalea Award & this year's
Pony Express Days Grand Marshals!



Congratulations to all the Nominees
& Winners at the 2023 McKinleyville
Chamber Annual Awards Dinner! We are
honored to have received the award for
Excellence in Community Service!



A Message from the General Manager

“Patience is the Road to Wisdom” – Kao Kalia Yang

Board of Directors

Gregory Orsini, *President*
Scott Binder, *Vice President*
James Biteman, *Director*
David Couch, *Director*
Dennis Mayo, *Director*

General Manager

Patrick Kaspari

District Office

1656 Sutter Road
McKinleyville, CA 95519

Office Hours

Monday - Friday
9:00 am - 5:00 pm
www.mckinleyvillecsd.com

Water-Sewer-Streetlights Office

Phone 707-839-3251
Fax 707-839-8456
Emergency Phone 707-601-9241

Parks and Recreation Office

Phone 707-839-9003
Fax 707-839-5964
Parks Maint. 707-599-9355

Online Registration

www.rec.mckinleyvillecsd.com

On the Cover

Middle: MCSD All Staff Photo by Jordan Johnson.
Top Right: Wes & Teresa Green by Dan Berger.
Bottom Left: MCSD Staff & Board by Dan Berger.

Americans With Disabilities Act

McKinleyville Community Services District makes every effort to comply with the Americans with Disabilities Act. If you require special assistance for participation in our recreation programs, please notify staff at the time of registration or call 839-9003.

Sorry for the pun above, but it is dedicated to David Baldosser, our resident Pun Master. I do want to thank you all for your patience with our Central Avenue Water & Sewer Main Rehabilitation Project. This is a critical project to make sure that our water and sewer mains along Central last for the next 75 years and we do this work on our schedule, not responding to an emergency failure of either of these lines. As you read this, we should be closing in on completing the water main and its connections. We should be completely done with the water system around the end of June. Then we will move on to the lining of the sewer main. The sewer work should have less of an impact to the traveling Public since we can line a lot of it without digging up the road. There will be impacts however, mainly to the travel and bike lane on the east side of Central between Sutter and Hiller. We are going to do our best to continue to make sure everyone knows in advance about the construction schedule and traffic impacts so you can plan your routes in advance. Thank you again for your patience as we implement this important infrastructure rehabilitation project.



We are also starting construction on our 4.5MG Water Storage Tank project this summer. When complete, the 4.5MG water tank will reduce and possibly eliminate interruptions to water service during earthquakes or storms. We have received over \$10 million in grants to pay for this \$12M construction job!

We are still waiting to take ownership of the Community Forest land this year (which is also being purchased entirely with a grant), but we will be coming to you soon to start planning the development of hiking/biking/horse trails in the forest. We are also finalizing the design of the BMX Park at School & Washington and will be starting that construction next year. And the Skate Park in Pierson Park should also have broken ground by the time you are reading this. That has been a long-term project, that once again proves the quote at the top of the article. Thanks to Charlie Caldwell and all the community members that practiced their patience and wisdom on that project.

Thank you all for helping to make McKinleyville the great community it is, and if you ever want to talk about anything or have any questions, feel free to give me a call at the office 707-839-3251.

Cheers!

- Patrick Kaspari, MCSD General Manager



Tot-Camp, Specialty Camps & Teen Summer Takeover Camp information is on Page 14!

See this Summer's Full Line Up on Page 11!

McKinleyville CSD Staff & Board recognized for Excellence in Community Service!!!



Check out the 2022 Consumer Confidence Report on page 3!!!



Thank you for your patience as we complete the Water & Sewer Main Rehab Project!



Tot-letics information on Page 13!

Inside This Issue

- 4 McK Chamber Annual Awards Dinner**
Congratulations to all the winners!
- 4 Excellence in Community Service**
MCSD was recognized at the Annual Awards Dinner!
- 5 Community Feedback Survey**
Please share your feedback!
- 6-10 2022 Consumer Confidence Report**
Detailing quality of the water we delivered to you
- 11 Music in the Park**
Live Music on 10 Thursdays!
- 12 Parks & Recreation Activity Guide**
Check out what is going on this summer & fall!
- 13 Tot-letics & Summer Basketball**
Sign Up for our youth sports today!
- 14 Tot-Camp, Specialty & Teen Camps**
Sign up for Camps today!
- 15 Adult Sports & Drop In**
Kung Fu, Tai Chi, Softball, Basketball & Pickleball
- 16 Upcoming Public Meetings**
Be in the know

McKinleyville Chamber Annual Awards Dinner

The McKinleyville Chamber of Commerce held their Annual Awards Dinner at The Blue Lake Casino & Hotel on March 24, 2023. Pictured below are the Award Recipients & the Award Categories. Congratulations to all the Nominees & Winners! Pictured on the Cover Page: Wes & Teresa Green, who are this year's Azalea Award Recipients. Also, pictured on the Cover Page: MCSD Staff & Board receiving Excellence in Community Service.

Photo Credit: Dan Berger Photography



Large Business of the Year:
Six Rivers Brewery



Small Business of the Year:
The Bigfoot Taproom



Home Based Business of the Year:
Spot to Spot Mobile Detailing



Outstanding Customer Service:
Redwood Community Pharmacy



Non-Profit/Organization of the Year:
McKinleyville Senior Center



Ambassador of the Year:
Megan Altman, Dark Staffing Solutions

Excellence in Community Service

This past March District staff and Board Members were honored to be presented with the Excellence in Community Service Award at the Chamber Annual Awards Dinner! Other Nominees in this category (listed alphabetically) were Arcata Fire District, The Center at McKinleyville and Two Feathers Native American Family Services. It was very special and surprising for one of our staff in particular; Chamber Past Board Chair, Kirsten Messmer. "I was shocked, not that we are not deserving, but that we were up against some really terrific organizations that all also excel in serving our awesome community. It was heartwarming to really be seen and acknowledged by all the Chamber Members for the everyday work we do for our community."

Beyond our daily job tasks and responsibilities, our Staff are committed to serving our community. Currently, District staff serve on the Boards for the Boys & Girls Club of the Redwoods, Boy Scouts of America (Pacific Rivers District), California Special District Assoc., the McKinleyville Chamber, the McKinleyville Family Resource Center and the McKinleyville Incorporation Exploration Subcommittee. Additionally, staff and Board Members are a part of Association of California Water Agencies, American Water Works Association, California Water Environment Association, Engineers without Borders, Mad River Rotary, McKMAC and North Coast Resource Partnership. Staff also spend time volunteering as coaches for various youth sports leagues, hosting fieldtrip tours for local High School & College students, and the McKinleyville High School Mentorship Program.



Community Feedback Survey

Maintaining McKinleyville

This summer, we are excited to share a wide variety of activities for kids and adults of all ages. We know that these services are valued by our residents, and help make McKinleyville a great place to live, raise a family and enjoy an active retirement.

As McKinleyville continues to address the continuing impacts from COVID and rapidly rising inflation, we are working diligently to maintain the local services that our residents have come to enjoy and expect.

But we have some tough future budget choices to make, and want those choices to be informed by our community. Unless additional local funding is identified:

- The local Sheriff's office may be closed, forcing deputies based in Eureka to come and service McKinleyville.
- We risk being unable to maintain trails, close bathrooms, and reduce trash collection, which could lead to large volumes of uncollected trash.
- We will have to dramatically reduce all landscape maintenance and playfields will not be watered or mowed.

That is why we recently conducted an updated community survey to obtain initial resident input on service priorities. Now that we have feedback from your neighbors, we want to hear from you.

Please tell us what you think TODAY by taking a moment to visit <https://www.mckinleyvillecsd.com/join-the-conversation>, read through our Frequently Asked Questions and complete our Community Feedback Survey.

Thank you for your commitment to our community.



Join the Conversation!
Share YOUR Service Priority Needs



Check it Out!

new heart

community church

Sundays @ 10:00AM
1490 Murray Road in McKinleyville
Children's programs too!
(707) 839-8015
www.newheart.com
www.facebook.com/newheartcc

McKinleyville Health & Karate Center



Traditional Okinawan Karate

With 25 years teaching experience

Little Dragons (ages 5-9) M & W: 4:00-4:45
Kid's Karate (ages 10-12) M & W: 4:45-5:30
Evening Karate (ages 13-Adult) M, Tu & W: 5:30-7

707-839-5255
1944 Central Avenue
McKinleyville

Trillium Veterinary Services



39032 CA-299
Willow Creek, CA 95573
(530) 716-0483

We Are Accepting NEW Patients!!!

We are a small-animal and exotics hospital.
We offer exams, vaccines, spay/neuter, general medicine, surgery, acupuncture, x-ray, ultrasound, dental cleanings, laboratory services and preventative care.

2022 Consumer Confidence Report

Water System Name:	McKinleyville Community Services District (MCSD)	Report Date:	4/13/2023
--------------------	--	--------------	-----------

The District tests drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2022 and may include earlier monitoring data. Last year, as in years past, your tap water met all United State Environmental Protection Agency (USEPA) and State drinking water health standards. MCSD vigilantly safeguards its water infrastructure and once again, we are proud to report that our system did not violate a maximum contaminant level or any other water quality standard in 2022.

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse McKinleyville Community Services District a 1656 Sutter Road McKinleyville, Ca. 95519 (707) 839-3251 para asistirlo en español.

Type of water source(s) in use:	Drinking water delivered by the McKinleyville Community Services District (MCSD) is supplied by the Humboldt Bay Municipal Water District (HBMWD). The District's source water has been classified by the State Water Resources Control Board (SWRCB) as groundwater <u>not</u> under the direct influence of surface water. The classification is important with respect to the regulations that a water system must follow to ensure water quality.
---------------------------------	---

Name & general location of source(s):	The Humboldt Bay Municipal Water District is a regional water wholesaler that supplies the drinking water to MCSD. Drinking water delivered to the District is drawn from wells below the bed of the Mad River northeast of Arcata. This water-bearing ground below the river is called an aquifer. These wells, called Ranney Wells, draw water from the sands and gravel of the aquifer at depths of 60 to 90 feet, thereby providing a natural filtration process. During the summer, this naturally filtered water is disinfected via chlorination and delivered to the District. During the winter, it is further treated at a regional Turbidity Reduction Facility which reduces the occasional turbidity (cloudiness) in the District's water source. While turbidity itself is not a health concern, SWRCB is concerned that at elevated levels it may interfere with the disinfection process.
---------------------------------------	---

Drinking Water Source Assessment information:	HBMWD performed a Drinking Water Source Assessment that was conducted by the Department of Health Services in August 2002. A copy of this assessment can be obtained at their District office at 828 7th Street Eureka, CA. This assessment found that the source water of the Ranney Wells may be vulnerable to activities that contribute to the release of aluminum and barium. Aluminum is associated with some surface water treatment processes and erosion of natural deposits. Barium is associated with the discharges of oil drilling waste or metal refineries and erosion of natural deposits. HBMWD treats its water and performs annual monitoring and testing, in accordance with SWRCB regulations and requirements, to ensure its water is safe to drink. MCSD performs separate monitoring and testing, in accordance with the USEPA and the State Board regulations and requirements, to ensure that the water quality remains high within the MCSD storage and distribution systems. The results from both the HBMWD's and the MCSD's 2022 monitoring and testing programs indicate that our water quality is very high, as has consistently been the case in past years. The tables below list the drinking water contaminants detected during 2022. A detected contaminant is any contaminant detected at or above its Detection Limit for Purposes of Reporting (DLR) (limit is established by SWRCB) or for unregulated contaminants, the Minimum Reporting Level (MRL). The tables show the level of detected contaminants. Contaminants that are not detected, or are detected below the DLR or MRL, are not required to be reported. The tables also show the maximum contaminant levels (MCL) and public health goals (PHG). Definitions for terms used in this report are listed on the next page.
---	--

Time & place of regularly scheduled board meetings for public participation:	First Wednesday of each month at 6:00 p.m. at Azalea Hall, 1620 Pickett Road, McKinleyville, Ca. 95519. Board meeting will be held via Zoom and in-person meetings during the regular scheduled meeting time.
--	---

For more information, contact:	Patrick Kaspari, General Manager	Phone:	(707) 839-3251
--------------------------------	----------------------------------	--------	----------------



Definitions of Terms Used in This Report:

You will find many terms and abbreviations in the table below. To help you understand these terms, the following definitions are provided:

Detection Limit for Purposes of Reporting (DLR):

The DLR is a parameter that is set by state regulation for each reportable contaminant. The presence of these contaminants in the drinking water at its DLR does not necessarily indicate that the water poses a health risk and can be below its MCL.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs cover the aesthetic quality of the water such as odor, taste and appearance.

Maximum Contaminant Level Goal (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

microseimens/cm: a measure of specific conductance ($\mu\text{S}/\text{cm}$)

n/a: not applicable

mgCaCO₃/L: milligrams of calcium carbonate per liter (a measure of hardness)

ND: not detectable at testing limit

NTU: Nephelometric Turbidity Units

pCi/l: picocuries per liter (a measure of radiation)

ppb: parts per billion or micrograms per liter ($\mu\text{g}/\text{L}$)

ppm: parts per million or milligrams per liter (mg/L)

ppq: parts per quadrillion or picograms per liter (pg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

Maximum Residual Disinfectant Level (MRDL):

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG):

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Minimum Reporting Level (MRL): The MRL is defined by the USGS National Water Quality Laboratory as the smallest measured concentration of a substance that can be reliably measured by using a given analytical method.

Primary Drinking Water Standard (PDWS): MCLs for contaminants that affect health along with monitoring, reporting requirements and water treatment requirements.

Public Health Goal (PHG): The level of a contaminant in drinking water, below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Regulatory Action Level (RAL): The concentration of a contaminant which, when exceeded, triggers treatment or other requirements that a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Variations and Exemptions: State board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Secondary Drinking Water Standards (SDWS):

MCLs for contaminants that affect taste, odor or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Radioactive contaminants that can be naturally-occurring or be the result of oil and gas production and mining activities.
- Organic chemical contaminants including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agriculture application, and septic systems.

Water Quality Testing Results

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency and the State Water Resources Control Board (State Board) prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for

contaminants in bottled water that provide the same protection for public health. The MCS D testing for Fecal Coliform produced zero results. Test results for disinfection byproducts have been below the Maximum Contaminant Level (MCL).

The tables enclosed in the newsletter list all the drinking water contaminants that were monitored during 2022. Additionally, the State requires that both Districts monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Therefore, results from prior years are included if such a contaminant was detected. There are very few entries in the tables because very few contaminants were actually detected in prior years. It is once again important to note that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking WATER hot line (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

Continued from Page 5: USEPA and the Center for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the USEPA's Safe Drinking Water Hot line (1-800-426-4791).

HBMWD consistently and frequently monitors for the presence of giardia and cryptosporidium in its drinking water. Since the mid-1990s, when the EPA approved the testing technique for these contaminants, HBMWD has never had a confirmed detection of either contaminant.

If present, elevated levels of lead can cause serious health problems,

especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. MCSD is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hot line or at (<http://www.epa.gov/lead>).

Humboldt Bay Municipal Water District Testing: RAW SOURCE WATER

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA					
Microbiological Contaminants	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria (state Total Coliform Rule)	1	0	Two or more positive monthly sample	0	Naturally present in the environment
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	0	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive	0	Human and animal fecal waste
<i>E. coli</i> (federal Revised Total Coliform Rule)	0	0	(a)	0	Human and animal fecal waste

(a) Routine and repeat samples are total coliform-positive and either is *E. coli*-positive or system fails to take repeat samples following *E. coli*-positive routine sample or system fails to analyze total coliform-positive repeat sample for *E. coli*.

TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER								
Lead and Copper	Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	2020	10	.12	0	15	0.2	0	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	2020	10	.96	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

TABLE 3 – SAMPLING RESULTS FOR SODIUM AND HARDNESS						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	2016	3.7	N/A	None	None	Salt present in the water and is generally naturally occurring
Hardness (ppm)	2016	87	N/A	None	None	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

TABLE 4 – DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
TTHMs (µg/L) – (Total Trihalomethanes)	2022	9.8	N/A	80	N/A	Byproduct of drinking water disinfection
HAA5 (µg/L) (Haloacetic Acids)	2022	4	N/A	60	N/A	Byproduct of drinking water disinfection
Chlorine (mg/L)	2022	Average=0.65	0.49-0.91	[MRDL = 4.0 (as Cl ₂)]	[MRDLG = 4.0 (as Cl ₂)]	Drinking water disinfectant added for treatment
Turbidity (NTU)	2022	.25	0.04-0.25	TT=5.0 NTU	N/A	Soil runoff. High Turbidity can hinder the effectiveness of disinfectants. During the winter season, it is a good indicator of the effectiveness of the filtration system.

TABLE 5 – DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD						
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	SMCL	PHG (MCLG)	Typical Source of Contaminant
Color (units)	2016	5.0	N/A	15	N/A	Naturally-occurring organic materials

Chloride (mg/L)	2016	3.9	N/A	500	N/A	Runoff/leaching from natural deposits; seawater influence
Sulfate (mg/L)	2016	10.0	N/A	500	N/A	Runoff/leaching from natural deposits; industrial wastes
Specific Conductance (µS/cm)	2018	130	N/A	1,600	N/A	Substances that form ions when in water
Total Dissolved Solids (mg/L)	2016	90	N/A	1,000	N/A	Runoff/leaching from natural deposits
Turbidity (NTU)	2022	0.25	0.02-0.25	5	N/A	Soil runoff. High Turbidity can hinder the effectiveness of disinfectants. During the winter season, it is a good indicator of the effectiveness of the filtration system.

TABLE 6 – DETECTION OF UNREGULATED CONTAMINANTS

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level	Health Effects Language
Total Alkalinity (mg/L)	2016	65	N/A	N/A	There are no health concerns related to alkalinity.

Unregulated Contaminant Monitoring Rule (UCMR)4 – 2020 Testing Results

As part of the federal drinking water program, USEPA issues a list of currently unregulated contaminants to be tested by Public Water Systems throughout the nation. This process occurs every five years pursuant to the Unregulated Contaminant Monitoring Rule (UCMR). The purpose of the UCMR program is to determine the prevalence of unregulated contaminants in drinking water. Results of this testing help USEPA determine whether or not to regulate new contaminants for protection of public health.

There have been four cycles of monitoring: UCMR 1 (2001-2003), UCMR 2 (2008-2010), UCMR 3 (2013-2015), and UCMR 4 (2018-2020). UCMR 1 through UCMR 3 tested for a total of 65 constituents. The UCMR 4 consists of testing for 10 cyanotoxins, 20 additional contaminants, and 2 indicators. HBMWD has not started cyanotoxin testing. HBMWD has tested for the 20 additional contaminants and 2 indicators. Below are the constituents within the previous five years that were detected above the minimum reporting level in the most recent tests. Information on the potential health effects are also included.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level	Health Effects Language
HAA5 (µg/L) [Sum of 5 Haloacetic Acids]	2022	6.7	N/A	60 µg/L	Some people who drink water containing haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.
HAA6 (µg/L) [Sum of 6 Haloacetic Acids]	2019	1.91	N/A	N/A	Some people who drink water containing haloacetic acids in excess over many years may have an increased risk of getting cancer.
HAA9 (µg/L) [Sum of 9 Haloacetic Acids]	2019	13.11	N/A	N/A	Some people who drink water containing haloacetic acids in excess over many years may have an increased risk of getting cancer.
Total Organic Carbon (µg/L)	2019	1100	1000	N/A	Indicator of the potential to form haloacetic acids during water treatment. Total Organic Carbon has no known health effect.

McKinleyville Community Services District Testing

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA

Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria (state Total Coliform Rule)	(In a month) 0	0	1 positive monthly sample	0	Naturally present in the environment.
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	(In the year) 0	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive	0	Human and animal fecal waste
<i>E. coli</i> (federal Revised Total Coliform Rule)	(In the year) 0	0	(a)	0	Human and animal fecal waste

(a) Routine and repeat samples are total coliform-positive and either is *E. coli*-positive or system fails to take repeat samples following *E. coli*-positive routine sample or system fails to analyze total coliform-positive repeat sample for *E. coli*.

TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER

Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collected	90 th Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (µg/L)	2019	30	1.2	0	15	0.2	4 Schools (up to 3 samples per school)	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (µg/L)	2019	30	0.650	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

TABLE 3 – SAMPLING RESULTS FOR SODIUM AND HARDNESS

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	2007	3.7	N/A	None	None	Salt present in the water and is generally naturally occurring
Hardness (ppm)	2005	67	57-80	None	None	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

TABLE 4 – DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD

Chemical or Constituent (and reporting units)	Sample Date	Level Detected (Average)	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
TTHMs (µg/L) – (Total Trihalomethanes)	2022	16.5	0-33	80	N/A	Byproduct of drinking water disinfection
HAA5 (µg/L) (Haloacetic Acids)	2022	7.5	0-14	60	N/A	Byproduct of drinking water disinfection
Chlorine (mg/L)	2022	Average=0.59	0.30-1.00	[MRDL = 4.0 (as Cl ₂)]	[MRDLG = 4.0 (as Cl ₂)]	Drinking water disinfectant added for treatment
Asbestos	2019	ND	ND	7	7	Some people who drink water containing asbestos in excess of the MCL over many years may have an increased risk of developing benign intestinal polyps.

Unregulated Contaminant Monitoring Rule (UCMR) 4 – 2019 Testing Results

As part of the federal drinking water program, USEPA issues a list of currently unregulated contaminants to be tested by Public Water Systems throughout the nation. This process occurs every five years pursuant to the Unregulated Contaminant Monitoring Rule (UCMR). The purpose of the UCMR program is to determine the prevalence of unregulated contaminants in drinking water. Results of this testing help USEPA determine whether or not to regulate new contaminants for protection of public health.

The District participated in the current UCMR 4 testing in 2019. The UCMR 4 consists of testing for 20 additional contaminants, and 2 indicators. Below are the constituents within the previous five years that were detected above the minimum reporting level in the most recent tests. Information on the potential health effects are also included.

DETECTION OF UNREGULATED CONTAMINANTS

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	Health Effects Language
HAA6 (µg/L) [Sum of 6 Haloacetic Acids]	2019	4.84	0.0-4.84	N/A	Some people who drink water containing haloacetic acids in excess over many years may have an increased risk of getting cancer.
HAA9 (µg/L) [Sum of 6 Haloacetic Acids]	2019	8.92	0.0-8.92	N/A	Some people who drink water containing haloacetic acids in excess over many years may have an increased risk of getting cancer.
Manganese, Total (µg/L)	2019	0.44	0.44	500	Manganese exposures resulted in neurological effects. High levels of manganese in people have been shown to result in adverse effects to the nervous system.



a beer & wine walk
with food tasting
through McKinleyville

Corks, Forks & Kegs 2023

Save the Date: Saturday, September 9, 2023 from 4pm-8pm

The annual beer, wine and food tastings walk through McKinleyville returns this year!
This is a 21 and over event. Mark your calendar and plan to attend!

Interested in hosting a tasting location, being a food host, being a beverage host or sponsoring the event?

Contact the McKinleyville Chamber today for more details at mckinleyvillechamber@gmail.com





PIERSON PARK MUSIC IN THE PARK

Skate Ramps!!!
Local Vendors!!!

Thursdays in June, July & August
Pierson Park
6:00pm to 8:00pm
FREE & Open to Everyone!!!

Food Trucks!!!
Lawn Games!!!

Local Band Line Up

- June 22: Claire Bent & Citizen Funk
- June 29: Ghost Train
- July 6: The Undercovers
- July 13: Absynth Quartet
- July 20: The Triple Tones
Car Show Event!
- July 27: Band o Loko
- August 3: Bailee Barnett
- August 10: Under the Influence
Motorcycle Show Event!
- August 17: Amber Soul
- August 24: Blue Rhythm Revue


Thanks to our
AMAZING SPONSORS!
Park Sponsor



Gazebo Sponsors



Lawn Game Sponsors



Swag Sponsor: Lace & Boots Events & Rentals, LLC

Hosted By the McKinleyville Chamber of Commerce, Mad River Radio & MCSD Parks & Recreation

Parks & Recreation Activity Guide

Facilities and Facility Rentals	12
Parks and Picnic Area Rentals	12
Birthday Parties	12
Tot-letics	13
Summer Basketball Program	13
NEW: Fast Break Fridays	13
Playgroup	13
Tot-Camp	14
Specilaty & Teen Camps	14
Adult Sports	15
Adulty Drop-In Programs	15

Registration Information

Register in person at the Parks & Recreation Office at 1656 Sutter Road. Registration forms are also available on our website: www.mckinleyvillecsd.com.

**Residents (R) are those persons living or owning property inside the MCSD Boundary. All others pay a non-resident (NR) fee.*

Online Registration Available

Almost all of our programs offer online registration! Click on the links to **Online Registration** on our website or go to rec.mckinleyvillecsd.com to register!

Advertisements

Did you know you can place an advertisement in this Newsletter and Activity Guide? We direct mail this full color guide to over 5,000 McKinleyville Residents, emailed to over 1,500 customers, posted online and it is available to pick up at many locations throughout McKinleyville. Three newsletters are published each year and you can advertise in all three for as little as \$160!!! Call the office today to place your ad at 707-839-9003.

Facilities & Facility Rentals

We have facilities available to rent for all your special event or meeting needs. For information regarding rental policies and procedures, please contact the Parks and Recreation office at 839-9003, or check out our website at www.mckinleyvillecsd.com/facility-rentals.



Parks & Picnic Area Rentals

We have park picnic areas available to rent for all your party needs. Each picnic area is equipped with tables and a BBQ. For more information please contact the Parks and Recreation office at 839-9003, or check out our website at www.mckinleyvillecsd.com/park-rentals.



Birthday Parties

Book your child's next birthday party with us! Private parties are scheduled around other programs at the Activity Center or Teen & Community Center. Choose from a roller skating, basketball, indoor soccer, dodgeball, floor hockey, Teen Center or a Playgroup Toddler Party!

Starting at \$200 for 20 Participants



Tot-letics

Tot-letics introduces boys and girls to the sports of Soccer & Basketball in a noncompetitive and fun-filled environment. Our age-appropriate drills and games teach young athletes skill development in addition to vital life lessons including leadership, teamwork, and sportsmanship.

Age: 3-5 | McK Activity Center | Sa | \$65R/\$70NR

Session 1: 9:30am-10:30am

Session 2: 10:45am-11:45am

Soccer Sessions: July 8 - August 5

Basketball Sessions: Sept. 9 - Oct. 7 (Registration opens Aug. 1st)

Summer Basketball Program

Sign up for our summer youth basketball program as early as May 1st! Registration Deadline is June 23, 2023. (Registration after this date will include a \$15 late fee)

Boys & Girls entering 3rd-6th grades

June 27-Aug. 10 | McK Activity Center

Tues. | 6-8pm | 3rd-4th Coed | \$75R/\$80NR

Thur. | 6-8pm | 5th-6th Coed | \$75R/\$80NR

(6 Session Days)

Fastbreak Fridays: Youth Drop In Basketball

Starting June 16, McKinleyville Parks & Recreation is offering a drop-in basketball program just for boys and girls ages 13-17. Fastbreak Fridays takes place from 6pm to 9pm at the McKinleyville Activity Center, 1705 Gwin Road. The drop-in fee is \$5 per night. Drop-in passes will be available: 10 drop-ins for \$45. Bring your friends and play some basketball! Parent or legal guardian must sign a liability waiver before youth participation in the drop-in program.

Boys & Girls ages 13-17

**Ongoing Beginning June 16 | Fridays | McK Activity Center
6-9pm | \$5/player/night or \$45 punch card for 10 drop-ins**

McKinleyville Playgroup



Playgroup is a great opportunity for children 0-5 years old and their parents to meet new people and make new friends. A variety of toys and activities for young children are provided. Playgroup is closed for summer from June 29-August 24. Come check it out! Join our FaceBook "McKinleyville Playgroup" group for cancellation and activity information (like special events).

**Ages 0-5 & Their Families | McK Activity Cnt.
Thursdays | 10:30am-12:30pm
Closed June 29-Aug. 24 (for Summer Camps!)
Returning August 31, 2023!**

A \$3 donation is greatly appreciated!



Tot-Camp

Tot-Camp introduces boys and girls aged 3-5 to the fun of summer day camp! Our age-appropriate camp activities include arts and crafts, games, sports and music! These camp sessions are a great opportunity to try an introduction to camps, time away from parents/guardians, free play, social skills and group activities! Each session is limited to 20 spots, sign up early!

Ages 3-5 years old* | McK Activity Center | M - Th
8:30am-12:30pm | Weekly Half Day: \$110 R/\$115 NR
**Potty Trained Required, Parents Welcome*

- Session 1:** Baby Shark Week | June 26 – 29
- Session 2:** My Dinos and Me | July 10 – 13
- Session 3:** Old McDonald Had a Farm | July 17 – 20
- Session 4:** Hickory Dickery Dock | July 24 – 27
- Session 5:** Itsy Bitsy Spider | July 31 – August 3
- Session 6:** Wheels on the Bus Week | August 7 – 10



Teen Summer Takeover Camp

Teen Summer Takeover Camp Sessions will provide teens an opportunity to meet new people, develop their voice and influence, and have fun as they build their leadership skills while engaging in teambuilding initiatives and games. These sessions will also focus on job readiness skills, resume & application workshops as well as practice interviews. Games, music and art projects will also be included in the weekly schedule.

Ages 11 to 15 years old | McK Teen Center | M - F | 8:30am-12:30pm | Weekly Half Day: \$110 R/\$115 NR

- Session 1:** June 26 – 30
- Session 2:** July 10 – 14
- Session 3:** July 17 – 21
- Session 4:** July 24 – 28
- Session 5:** July 31 – Aug. 4
- Session 6:** August 7 – 11
- Session 7:** August 14 – 18

Summer Camps Registration Information

Pre-registration is required. Register in Person at our Office: 1656 Sutter Road, McKinleyville, CA 95519
or Online: rec.mckinleyvillecsd.com

**All online registrations must be paid in full. All those utilizing payment plans or Changing Tides must enroll with the office and fill out the Youth Liability Release and Supplemental Registration forms. Payment Plans are set up when requested, the first week of attendance is due in full and a \$15/session deposit is due at the time of registration. The balances are due the Friday before the session begins. Deposits are non-refundable.*

Specialty Camps

Join McKinleyville Parks & Recreation this summer for some specialty camp weeks! We offer opportunities for free play both indoors and outdoors each day.

Ages (See Below) | McK Activity Center | M - F
1:00pm-5:00pm | Weekly Half Day: \$110 R/\$115 NR

- Session 1:** Makers Camp | June 26 – 30
Ages 11-15
- Session 2:** Myth Busters Camp | July 10 – 14
Ages 9-15
- Session 3:** Cooking Camp | July 17 – 21
Ages 9-15
- Session 4:** Outdoor Adventure Camp | July 24 – 28
Ages 9-15
- Session 5:** Fostering Artists | July 31 – Aug. 4
Ages 9-15
- Session 6:** Tabletop Gaming Camp | Aug 7 – 11
Ages 11-15
- Session 7:** Skateboard Camp | August 14 – 18
Ages 7-15

***Session 8: Summer Classic Camp *Only Full Day Week!**
Ages 5-10 | McK Activity Cnt | Aug. 21 – 25 | 8am-5:30pm
\$180R/\$185NR
This week will include some of our popular activities like arts & crafts, sports, games, roller skating, a campfire, a water day and more!

Wing Woo Gar Kung Fu Drop In Wing Woo Gar Tai Chi Drop In

Wing Woo Gar is a traditional southern style Chinese Martial Art. This dynamic form of self defense emphasizes balance, posture & coordination. Instruction by Jason. Beginners welcome.

Adults 18 years+ (16+ w/Instructor Approval) | Azalea Hall
\$10/class | \$75/\$150 Punch Cards (10/20 classes)
Tuesdays & Thursdays: 5:30pm

Wing Woo Gar is a traditional southern style Chinese Martial Art. This dynamic form of self defense emphasizes balance, posture & coordination. Instruction by Owen. Beginners welcome.

Adults 18 years+ (16+ w/Instructor Approval) | Azalea Hall
\$10/class | \$75/\$150 Punch Card (10/20 classes)
Sundays: 11:00am

Hoop @ Night

Our Drop-in Basketball program happens almost every Sunday evening at the Activity Center. Bring your friends and play some hoops!

Adults 18 years & older | McKinleyville Activity Center
Ongoing | Su | 6:00pm-9:00pm | \$4/Day

Pickleball Drop In

Pickleball is a fun, fast paced paddle sport sometimes described as a cross between tennis & ping pong. On Monday & Wednesday mornings, the time period of 9:30am-10:00am will be for beginners or players looking for an introduction to the basics of the sport of Pickleball. Some extra paddles are available but players are encouraged to bring their own paddles.

Adults 18 years+ | McK Activity Center | \$4/person or \$25 punch card
Mon & Wed: 9:30am-1:00pm

**Mon. & Wed. Cancelled: June 26-Aug. 23, returning Aug. 28*

Friday: 9:30am-12:30pm

Beginning Pickleball: Skills & Drills

Students will learn to play the sport of pickleball. All equipment is provided. Each Class will consist of a warm-up period, working on improving skills and strategy of play. Through drills, students will learn how to play the game and how to keep score.

Adults 18 years+ | McK Activity Center | \$75 R/\$85 NR
Sept. 13 - Oct. 18 | Wed | 6:00pm-8:00pm

Adult Wood Bat Softball

Get your team together and let's "Play Ball!" Join us at Hiller Sports Complex on Sundays for another great co-ed wood bat softball season for players 16 years and older. Teams consist of 12 to 16 players. Sign up your team for this league by Friday, July 21.

16 years & older | Hiller Sports Complex
July 30 - Sept. 17* | *No games Sept. 3
Playoffs: Sept. 24 & Oct. 1
\$700/team of 12 players
(Additional players \$65R/\$70NR)





McKinleyville CSD
 PO Box 2037
 McKinleyville, CA 95519

Presort Standard
 US Postage
 PAID
 Arcata, CA
 Permit No. 239

Upcoming Public Meetings

MCSD Board Meetings are held at:
 Azalea Hall
 1620 Pickett Road
 McKinleyville, CA 95519

Park And Recreation Committee
 (PARC) Meetings in person will be at:
 1656 Sutter Road
 McKinleyville, CA 95519

For more information please visit our
 website at
www.mckinleyvillecsd.com

June

7 MCSD Board Meeting 6:00pm
 15 PARC Meeting 6:30pm

July

No Board Meeting
 20 PARC Meeting 6:30pm

August

2 MCSD Board Meeting 6:00pm
 17 PARC Meeting 6:30pm

September

6 MCSD Board Meeting 6:00pm
 21 PARC Meeting 6:30pm

October

4 MCSD Board Meeting 6:00pm
 19 PARC Meeting 6:30pm

November

1 MCSD Board Meeting 6:00pm
 16 PARC Meeting 6:30pm

**All meetings are subject to change, please visit our website at www.mckinleyvillecsd.com for the most up to date information.*



2023
Summer-Fall
 Newsletter and Activity Guide